

EN Installation and user manual

NL Installatie- en gebruikershandleiding



















3-in-1 electronic boiling water system


3-in-1 elektronisch kokend watersysteem








Support and Warranty page













Icon legend





	Product information/ Productinformatie		Open/ Open
	Scope of delivery/ Leveringsomvang		Close/ Gesloten
	Montage/ Monteren		Discard/ Weggoaien
	Tool equipment/ Gereedschapsuitrusting		Cold water/ Koud water
	Maintenance/ Onderhoud		Warm water/ Warm water
	Drill/ Boren		Boiling water/ Kokend water
	Screw/ Schroeven		Do not/ Forbidden result/ Niet doen / verboden resultaat
	Spanner/ Aanspannen		Do, OK!/ Result/ Doen, OK! / resultaat
	Tighten finger-tight/ Handvast aandraaien		url/ video link/ url / videolink
	Warning/ Caution/ Hazard/ Waarschuwbord/ Voorzichtig/ Gevaar		Cleaning/ Schoonmaken
	Dimensions/ Afmetingen		Plier wrench/ Waterpomptang
	Check on the website/ Kijk op de website		







Ø min:
DN 6 = Ø 50 mm
DN 8 = Ø 60 mm
DN 10 = Ø 70 mm
DN 13 = Ø 90 mm
















2



 19 mm




min. 80 mm




3




4








5




6




7




8




9



10



11













R max \geq 50 mm







100°C






2x






A


Not included




112.0698.563





1




 19 mm




2




3




4



5




6






B


Not included




112.0698.562




1















2



3









Tap Active boiling 3-in-1 electronic J-spout

